

AMS Publications 1998-2004

1998

1. Björck, S.; C.S. Andresen and J. Heinemeier: The radiocarbon signal as a climate proxy record: Examples from an ongoing project. Abstract Volume, Nordic Geological Winter Meeting, Aarhus 13-18 January 1998 (1998) 37.
2. Boaretto, E.; L. Thorling, A.E. Sveinbjörnsdóttir, Y. Yechieli and J. Heinemeier, Study of the effect of fossil organic carbon on ^{14}C in groundwater from Hvinningdal, Denmark. Radiocarbon 40(2), 915-920 (1998).
3. Glasius, M.; P. Hornung, J.K. Jakobsen, H.S. Klausen, K.C. Klitgaard, C.K. Møller, A.P.F. Petersen, L. Petersen, S. Wessel, T.S. Hansen, C. Lohse, E. Boaretto and J. Heinemeier, The Relative Contribution of Biogenic and Anthropogenic VOC to Formic and Acetic Acid Studied by Carbon-isotopic Analysis. Extended abstract, Eurotrac conference, Garmisch-Partenkirchen, 1998 (1998).
4. Glasius, M.; P. Hornung, J.K. Jacobsen, H.S. Klausen, K.C. Klitgaard, C.K. Møller, A.P.F. Petersen, L.S. Petersen, S. Wessel, T.S. Hansen, C. Lohse, E. Boaretto and J. Heinemeier: Where does tropospheric formic and acetic acid come from? 6th FECS Conference 1998. Environ. Sci. & Pollut. Res. 5 (3), 145 (1998).
5. Hafliðason, H.; H.P. Sejrup, J. Eiriksson, K.L. Knudsen, D.K.-Kristensen and J. Heinemeier: Reservoir age estimate for the Norwegian-Greenland Sea for the Late Glacial and the Holocene Time Period. Book of Abstracts, 6th International Conference on Paleoceanography, Lisbon, 118 (1998).
6. Heinemeier, J.; N. Rud, Danske arkæologiske AMS ^{14}C dateringer, Århus 1997 (Resumé in English). Arkæologiske Udgravninger i Danmark 1997 Det Arkæologiske Nævn, København 1998, 282-292 (1998).
7. Kuijpers, A.; T.L. Rasmussen, S.R. Troelstra, T.C.E. van Weering and J. Heinemeier, Norwegian Sea overflow, deep water formation and climate change: the last 150,000 years. Abstract Volume, 6th International Conference on Paleoceanography, Lisbon 1998 ed. F. Abrantes, (1998).
8. Lackschewitz, K.S.; K. Baumann, B. Gehrke, H. Wallrabe-Adams, J. Thiede, G. Bonani, R. Endler, H. Erlenkeuser and J. Heinemeier, North Atlantic Ice Sheet Fluctuations 10,000-70,000 Yr Ago as Inferred from Deposits on the Reykjanes Ridge, Southeast of Greenland. Quaternary Research 49, 171-182 (1998).
9. Spielhagen, R.F.; N. Nørgaard-Pedersen, H. Erlenkeuser, P.W. Grootes and J. Heinemeier, A meltwater event in the Arctic Ocean before the Younger Dryas. Abstract Volume, 6th International Conference on Paleoceanography, Lisbon 1998 ed. F. Abrantes, (1998).
10. Sveinbjörnsdóttir, A.E.; J. Heinemeier, P. Kristensen, N. Rud, A. Geirsdóttir and J. Hardardóttir, ^{14}C AMS datings of Icelandic Lake Sediments. Radiocarbon 40(2), 865-872 (1998).
11. Sveinbjörnsdóttir, A.E.; S. Arnórsson, J. Heinemeier and E. Boaretto, Geochemistry of natural waters in Skagafjörður, N-Iceland. II. Isotopes. in Water-Rock interaction, WRI-9 Symposium, New Zealand 1998 ed. Arehart and Hulston, 693-656 (1998).

1999

12. Sveinbjörnsdóttir, A.E.; S. Arnórsson and J. Heinemeier: Isotopic studies of natural waters in the Skagafjörður region, N-Iceland. Deuterium excess and ^{14}C age of groundwater. Proceedings, International Symposium on Isotope Techniques in Water Resources Development and Management, Vienna, 10-14 May 1999, IAEA, IAEA-CSP-2/C S4-67-73 (1999).
13. Arneborg, J.; J. Heinemeier, N. Lynnerup, H.L. Nielsen, N. Rud and Á.E. Sveinbjörnsdóttir, Change of diet of the Greenland Vikings determined from stable carbon isotope analysis and ^{14}C dating of their bones. *Radiocarbon* 41 (2), 157-168 (1999).
14. Bennike, O.; S. Björck, J. Böcher, L. Hansen, J. Heinemeier and B. Wohlfarth: Early Holocene plant and animal remains from North-east Greenland. *Journal of Biogeography* 26, 667-677 (1999).
15. Heinemeier, J.; and N. Rud: AMS ^{14}C dateringer, Århus 1998 (Resumé in English). *Arkæologiske Udgravninger i Danmark 1998, Det Arkæologiske Nævn, København 1999, 327-345 (1999)*.
16. Hinsby, K.; W.G. Harrar, T. Laier, A. Højberg, P. Engesgaard, K.H. Jensen, F. Larsen, E. Boaretto & J. Heinemeier: Use of isotopes (^3H , ^{14}C , ^{13}C , ^{18}O) and CFC's for the analyses of groundwater flow and transport dynamics: selected case and modelling studies from sand aquifers and a deep clay aquitard in Denmark. International Atomic Energy Agency, Use of isotopes for analyses of flow and transport dynamics in groundwater systems, IAEA-TECDOC, Vienna. (1999).

2000

17. Andresen, C.S.; S. Björck, O. Bennike, J. Heinemeier and B. Kromer: What do $\Delta^{14}\text{C}$ changes across the Gerzensee oscillation/GI-1b event imply for deglacial oscillations? *Journal of Quaternary Science* 15 (3), 203-214 (2000).
18. Eiriksson, J.; K.L. Knudsen, H. Hafliðason and J. Heinemeier: Chronology of late Holocene climatic events in the northern North Atlantic based on AMS ^{14}C dates and tephra markers from the volcano Hekla, Iceland. *Journal of Quaternary Science* 15, 573-580 (2000).
19. Glasius, M.; S. Wessel, C.S. Christensen, J.K. Jakobsen, H.E. Jørgensen, K.C. Klitgaard, L.S. Petersen, J.K. Rasmussen, T. Stroyer Hansen, Chr. Lohse, E. Boaretto and J. Heinemeier: Sources to formic acid studied by carbon isotopic analysis and air mass characterisation. *Atmospheric Environment* 34, 2471-2479 (2000).
20. Goodsite, M.; C. Lohse, T.S. Hansen, W. Shotyk, Pim Van Der Knaap, J. Heinemeier, P. Appleby, R. Frei and A. Cheburkin: The Investigation and dating of transboundary air pollution found in southern Greenland. Methods, techniques and preliminary results. 25th International Heavy Metals in the Environment Conference (HME), 6-10 August 2000, Ann Arbor Michigan. (2000).
21. Bennike, O.; J.B. Jensen, P. Konradi, W. Lemke and J. Heinemeier: Early Holocene submarine lagoonal deposits from Kattegat, Scandinavia. *Boreas* 29, 272-286 (2000).
22. Bryant, C.; I. Carmi, G.T. Cook, S. Gulliksen, D.D. Harkness, J. Heinemeier, E. McGee, P. Naysmith, G. Possnert, E.M. Scott, J. van der Plicht, M. van Strydonck: Sample requirements and design of a inter-laboratory trial for Radiocarbon laboratories.. *Nuclear Instruments and Methods (B)* 172, 355-359 (2000).
23. Hafliðason, H.; H.P. Sejrup, J. Eiriksson, K.L. Knudsen, D.K.-Kristensen and J.

- Heinemeier: The marine reservoir age in the Northern-North Atlantic during the last 13.000 ¹⁴C yrs BP. Book of Abstracts, Symposium on Rapid Oceanographic Changes in the Arctic: Causes and Effects, DMI, Copenhagen, Denmark, April 13-14, 4-5 (2000).
24. Heinemeier, J.; Högne Jungner: A Pre-Columbian origin for the Newport Tower can (still) almost certainly be excluded: a reply to professor Andre J. de Bethune. *J. of the Newport Historical Society* 70, 55-59 (2000).
 25. Heinemeier, J.; and N. Rud: AMS ¹⁴C dateringer, Århus 1999 (Resumé in English). *Arkæologiske Udgravninger i Danmark 1999*, Det Arkæologiske Nævn, København 2000, 296-313 (2000).
 26. Lassen, S.; K.G. Jensen, A. Kuijpers, H. Kunzendorf, J. Heinemeier and P. Konradi: Late Holocene climate signals in South Greenland waters - Preliminary results from Igaliku Fjord. Abstract, NARP Workshop, DMI, Denmark, April 2000, (2000).
 27. Ringbom, Å.; Bartholin T., Gustafsson K., Lindroos A., Sveinbjörnsdóttir A.E. & Heinemeier J.: Ålands Kyrkor vol. 2 Saltvik. , ed. Åsa Ringbom, Ålands Landskapsstyrelse/museibyran 2, 101-110 (2000).
 28. Sveinbjörnsdóttir, A.E.; J. Heinemeier, S. Arnórsson and E. Boaretto: Carbon isotopes as tracers for groundwater hydrology, variation of isotopic content with time. Books of Abstracts, 17th International Radiocarbon Conference, Judean Hills, Israel, June 18-23, 2000, Weizmann Institute of Science, Rehovot, Israel, 87 (2000).
 29. Grøn, C; L.K. Hansen and J. Heinemeier: Origin of aquifer humic substances identified by advanced chemical characterization. *Groundwater Research*, ed. Rosbjerg et al., Balkema, Rotterdam, ISBN 90 5809 133 3, (2000).

2001

30. Bäckström, D.L.; A. Kuijpers and J. Heinemeier: Late Quaternary North Atlantic paleoceanographic records and stable isotopic variability in four planktonic foraminiferal species. *Journal of Foraminiferal Research* 31 (1), 25-32 (2001).
31. Bauch, H.A.; H. Erlenkeuser, R.F. Spielhagen, U. Struck, J. Matthiessen, J. Thiede and J. Heinemeier: A multiproxy reconstruction of the evolution of deep and surface waters in the subarctic Nordic seas over the last 30,000 yr. *Quaternary Science Reviews* 20, 659-678 (2001).
32. Bauch, H.A.; T. Mueller-Lupp, E. Taldenkova, R. F. Spielhagen, H. Kassens, P. M. Grootes, J. Thiede, J. Heinemeier and V. V. Petryashov: Chronology of the Holocene transgression at the North Siberian margin. *Global and Planetary Change* 31 (1-4), 125-139 (2001).
33. Björck, S.; R. Muscheler, B. Kromer, C.S. Andresen, J. Heinemeier, S.J. Johnsen, D. Conley, N. Koc, M. Spurk and S. Veski: High-resolution analyses of an early Holocene climate event may imply decreased solar forcing as an important climate trigger. *Geology* 29-12, 1107-1110 (2001).
34. Bryant, C.; I. Carmi, G.T. Cook, S. Gulliksen, D.D. Harkness, J. Heinemeier, E. McGee, P. Naysmith, G. Possnert, E.M. Scott, J. van der Plicht, M. van Strydonck: Is comparability of ¹⁴C dates an issue?: A status report on the Fourth International Radiocarbon Intercomparison. *Radiocarbon* 43(2A), 321-324 (2001).
35. Clemmensen, L.B.; F. Andreasen, J. Heinemeier and A. Murray: A Holocene coastal aeolian system, Vejers, Denmark: landscape evolution and sequence stratigraphy. *Terra Nova* 13, 129-134 (2001).
36. Clemmensen, L.B.; K. Pye, A. Murray and J. Heinemeier: Sedimentology,

- stratigraphy and landscape evolution of a Holocene coastal dune system, Lodbjerg, NW Jutland, Denmark. *Sedimentology* 48, 3-27 (2001).
37. Glasius, M.; C. Boel, N. Bruun, L.M. Easa, P. Hornung, H.S. Klausen, K.C. Klitgaard, C. Lindeskov, D.K. Møller, H. Nissen, A.P.F. Petersen, S. Kleefeld, E. Boaretto, T.S. Hansen, J. Heinemeier and C. Lohse: The relative contribution of biogenic and anthropogenic sources to formic and acetic acids in the boundary layer. *Journal of Geophysical Research* 106, 7415-7426 (2001).
 38. Goodsite, M.E.; W. Rom, J. Heinemeier, T. Lange, S. Ooi, P. Appleby, W. Shotyk, W.O. van der Knaap, C. Lohse and T.S. Hansen: High-resolution AMS ^{14}C dating of post-bomb peat archives of atmospheric pollutants. *Radiocarbon* 43 (2B), 495-515 (2001).
 39. Heinemeier, J.; and N. Rud: AMS ^{14}C dateringer, Århus 2000 (Resumé in English). *Arkæologiske Udgravninger i Danmark 2000*, Det Arkæologiske Nævn, København 2001, 313-328 (2001).
 40. Heinemeier, J.; N. Rud: Hvad isotoperne fortæller om de forsvundne vikinger på Grønland. *KVANT - Tidsskrift for Fysik og Astronomi*, ISSN 0905-8893 1 (April), 3-9 (2001).
 41. Lindroos, A.; Å. Ringbom and J. Heinemeier: AMS ^{14}C dating of lime mortar. *Book of Abstracts, 6th Nordic Conference on Scientific Methods in Archaeology*, University of Umeå, Sweden, August 2001, (2001).
 42. Lynnerup, N.; H. Mikkelsen, K. Poulsen, B. Frølich, H. Hjalgrim and J. Heinemeier: A firearms fatality from 14th century Denmark. *Journal of Paleopathology* 13 (1), 11-16 (2001).
 43. Nadel, D.; S. Belitzky, E. Boaretto, I. Carmi, J. Heinemeier, E. Werker and S. Marco: New dates from submerged late pleistocene sediments in the Sourthern Sea of Galilee, Israel. *Radiocarbon* 43(3), 1167-1178 (2001).
 44. Sveinbjörnsdóttir, A.E.; S. Arnórsson and J. Heinemeier: Isotopic and chemical characteristics of old "ice age" groundwater, North Iceland. *Water-Rock Interaction 2001*, ed. Cidu, 205-208 (2001).

2002

45. Arneborg, J.; J. Heinemeier, N. Lynnerup, N. Rud og Arny E. Sveinbjörnsdóttir: ^{14}C Dateringer af menneskeknogler - med de grønlandske nordboer som eksempel. *Hikuin*, ed. Hanne Koch 27, 307-314 (2002).
46. Lassen, S.; A. Kuijpers, H. Kunzendorf, H. Lindgren, J. Heinemeier, E. Jansen & K.L. Knudsen: Intermediate water signal leads surface water response during Northeast Atlantic deglaciation.. *Global and Planetary Change* 32 (2-3), 111-125 (2002).
47. Rasmussen, T.L.; D. Bäckström, J. Heinemeier, D. Klitgaard-Kristensen, P. Knutz, A. Kuijpers, S. Lassen, E. Thomsen, S.R. Troelstra, and T.C.E. van Weering: The Faeroe-Shetland Gateway: Late Quaternary water mass exchange between the Nordic seas and the northeastern Atlantic. *Marine Geology* 188, 165-192 (2002).
48. Sivan, Orit; Lazar, Boaz a; Yechieli, Yoseph; Boaretto, Elisabetta; Heinemeier, Jan; Herut, Barak: ^{14}C excess in deep-sea sediments porewater driven by diffusion: Southeast Mediterranean. *Limnology and Oceanography* 47 (2), 565-570 (2002).
49. Arneborg, J.; J. Heinemeier, N. Lynnerup, H.L. Nielsen, N. Rud og A.E. Sveinbjörnsdóttir: C-14 dating and the disappearance of Norsemen from Greenland. *Europhysics News*, 33 (3), 77-80 (2002).
50. Boaretto, E.; C. Bryant, I. Carmi, G. Cook, S. Gulliksen, D. Harkness, J. Heinemeier, J. McClure, E. McGee, P. Naysmith, G. Possnert, M. Scott, H. van

- der Plicht, M. van Strydonck: Summary findings of the fourth international radiocarbon intercomparison (FIRI) (1998-2001). *Journal of Quaternary Science*, 17(7), 633-637 (2002).
51. Heinemeier, J.: AMS 14C dateringer, Århus 2001 (Resumé in English). *Arkæologiske Udgravninger i Danmark 2001*. Det Arkæologiske Nævn, København, 263-292 (2002).
 52. Larsen, G.; J. Eiriksson, K.L. Knudsen and J. Heinemeier: Correlation of late Holocene terrestrial and marine tephra markers, North Iceland. Implications for reservoir age changes and linking land-sea chronologies in the northern North Atlantic. *Polar Research*, 21(2), 283-290 (2002).
 53. Rasmussen, T.L.; D. Bäckström, J. Heinemeier, D. Klitgaard-Kristensen, P. Knutz, A. Kuijpers, S. Lassen, E. Thomsen, S.R. Troelstra, and T.C.E. van Weering: The Faeroe-Shetland Gateway: Late Quaternary water mass exchange between the Nordic seas and the northeastern Atlantic. *Marine Geology*, 188, 165-192 (2002).

2003

54. Boaretto, E.; C. Bryant, I. Carmi, G. Cook, S. Gulliksen, D. Harkness, J. Heinemeier, J. McClure, E. McGee, P. Naysmith, G. Possnert, M. Scott, H. van der Plicht, M. van Strydonck: How reliable are radiocarbon laboratories? A report on the Fourth International Radiocarbon Inter-comparison (FIRI) (1998 - 2001). *Antiquity*, 77, (295), 146-154 (2003).
55. Boaretto, E.; I. Carmi, P. Fabbri, J. Heinemeier, S. Sartori, A. Sveinbjörnsdóttir, Y. Yechieli: Radiocarbon in thermal and fresh groundwater in Veneto Region, Northern Italy. *Radiocarbon 18th conf*, Wellington, abstract (2003).
56. Hale, J.; J. Heinemeier, L. Lancaster, A. Lindroos and Å. Ringbom: Dating ancient Mortar. *American Scientist*, 91, 130-137 (2003).
57. Kristiansen, S.M.; K. Dalsgaard, M.K. Holst, B. Aaby and J. Heinemeier: Dating of prehistoric burial mounds by 14C analysis of soil organic matter fractions. *Radiocarbon* 45 (1), 101-112 (2003).
58. Nørgaard-Pedersen, N.; R.F. Spielhagen, H. Erlenkeuser, P.M. Grootes, J. Heinemeier and J. Knies: The Arctic Ocean during the Last Glacial Maximum. Atlantic and Polar domains of surface water mass distribution and ice cover. *Paleoceanography*, 18, 8.1-8.9 (2003).
59. Rasmussen, T.L.; Wastegård, S., Kuijpers, A., van Weering, TCE, Heinemeier, J., Thomsen, E.: Stratigraphy and distribution of tephra layers in marine sediment cores from the Faeroe Islands, North Atlantic. *Marine Geology*, 199, 263-277 (2003).
60. Shotyk, W; M.E. Goodsite, F. Roos-Barraclough, R. Frei, J. Heinemeier, G. Asmund, C. Lohse, T.S. Hansen: [Anthropogenic contributions to atmospheric Hg, Pb and As deposition recorded by peat cores from southern Greenland and Denmark dated using the 14C "bomb pulse curve"](#). *Geochimica et Cosmochimica Acta*, 67(21), 3991-4011 (2003).
61. Shotyk, W.; Goodsite, M.E., Roos-Barraclough, F., Givélet, N., LeRoux, G., Weiss, D., Cheburkin, A.K., Knudsen, K., Heinemeier, J., van der Knaap, W.O., Norton, S.A., C. Lohse, and T.S. Hansen: Accumulation rates and predominant atmospheric sources of natural and anthropogenic Hg and Pb on the Faroe Islands since 5420 14C yr BP recorded by a peat core from a blanket bog. *Geochimica et Cosmochimica Acta* (accepted 2003).
62. Sveinbjörnsdóttir, A.E.; Jan Heinemeier, Gardar Gudmundsson & Gudmundur Olafsson: 14C datings and the settlement of Iceland. *Radiocarbon 18th conf*, Wellington, abstract (2003).

63. Sveinbjörnsdóttir, A.E.; Jan Heinemeier, Sigurdur R. Gíslason & Hrefna Kristmannsdóttir: Isotopic study of water-magma interaction in a sub-glacial volcanic eruption in Iceland. Radiocarbon 18th conf, Wellington, abstract (2003).
64. Fischer, A.; J. Heinemeier: Freshwater Reservoir Effect in ^{14}C Dates of Food Residue on Pottery. Radiocarbon 45 (3), 449-466 (2003).
65. Jørgensen, N.-O.; J. Heinemeier: Origin of saline groundwater in a sandstone aquifer on Bornholm, Denmark. Hydrogeology Journal (submitted), (2003).
66. Jensen, K.G.; A. Kuijpers, N. Koc, J. Heinemeier: Diatom evidence of hydrographic changes and ice conditions in Igaliku Fjord, South Greenland, during the past 1500 years. The Holocene (in press), (2003).
67. Knudsen, K.L.; H. Jiang, E. Jansen, J. Eiríksson, J. Heinemeier, M.-S. Seidenkrantz: Paleoceanographic changes off North Iceland during the deglaciation and the Holocene: foraminifera, diatoms and stable isotopes. Marine Micropaleontology 953, 1-33 (2003).
68. Humlum, O.; B. Elberling, A. Hormes, K. Fjordheim, O.H. Hansen and J. Heinemeier: Late Holocene glacier growth in Svalbard, documented by subglacial find of pre-Medieval vegetation and still alive soil microbes. The Holocene (submitted), (2003).